



2024



NELUX ARCHITECTURAL LIGHTING - CEILING LAMPS 2024



Ceiling Lamps



ARCHITECTURAL & COMMERCIAL LIGHTING

**Do you need Bespoke
Lighting? / ¿Necesita
productos a medida?**

**NELUX CUSTOMISING NELUX
PRODUCTOS A MEDIDA**



MODERN DESIGN REDECORATE YOUR SPACE

WHY CEILING LIGHTING?

Over the past decade, designers have been drawn to the use of lighting in their interior spaces. LED Ceiling light has found its way into these designs with its combination of both form and function and its ability to enhance any interior space.

Using top of the line components, there's no going wrong with this choice.

Our DH series (DULCET and HARMONIOUS) Ceiling light , satisfy all your lighting projects

SMART

MODERN

FORM

+

LONG

LIFESPAN

+

LIGHTING

SOLUTIONS

ABOUT US

14 years ago a group of us bonded together with the bright idea to bring unique design and top quality led lighting system to market. All for architectural and commercial lighting products reflect the core of modularity, convenience and affordability.

Nelux a tech-style luminaire firm that focuses on innovation. These innovation based on our deep cooperation with lighting designers, we know what you need, we know how to bring a better lighting in your space.

Working with us comes with some awesome perks

INNOVATIVE TECHNOLOGY:

With years deep communication with designers, We continuously strive to bring the latest lighting components and technological innovations to LED lighting products

COMPREHENSIVE DATASHEET SUPPORT:

In Nelux, we always think about how to help our customers finish their work, see what we can do for you, Lighting design, IES Files, High resolution photos, You just sent us DWG file, we will work for you with a experience team

CUSTOMIZATION:

With a wide variety of marketing content from catalogue choose, if customers still need a special or unique design for lighting, our global sales team will work with you to user in a customization lighting solution for your customers.

Ceiling Lamp



CONTENTS

About NELUX

CEILING LAMPS

DULCET & HARMONIOUS CEILING LAMPS

nelux

PRODUCING YOUR DREAMS


.....

NELUX ALREADY FINISHED
MORE THAN 700 PROJECTS
WELCOME TO CONTACT US
FOR LIGHTING DESIGNS



NELUX


INNOVATIVE TECHNOLOGY FOR ARCHITECTURAL LIGHTING



Tuya Smart Lighting

DH-7393W-RGB
 RGB 5W LED 46W
 Φ500*65mm

Discover the multiple of functions for operating the luminaires.




Every moment of everyday life require the right light. Thank to the Smart lighting it will be possible to create the ideal atmosphere connecting them and controlling them thorough Wi-fi or Bluetooth connection. With our APP Smart Intec it is possible to control from remote all the lighting devices with on-off, kelvin colour temperature changing, light colour and scenes functions. To instore some smart lamps it is necessary just your standard home electric connection, and wifi connection. Once connected the lamp and downloaded the APP Smart Intec it will be very easy to create groups and rooms in very easy process thank to the instructions step by step on the App. The smart lamps can be controlled also with Wifi voice control devices.



Music RGB Lighting

DH-6310-LRGB
 RGB 5W LED 46W
 Φ500*75mm





Jellyfish


Add one more layer with a fog effect to the lampshade, and stars are vaguely visible on the surface of the lamp.



- DH-8409-M 405*85mm
- DH-8409-L 505*85mm



- DH-8410-M 405*85mm
- DH-8410-L 505*85mm



Eye Protection Material

New material makes the light softer as it passes over the surface of the lampshade.



- DH-6241AW-S 300*70mm
- DH-6241AW-M 400*70mm
- DH-6241AW-L 500*70mm
- DH-6241AW-XL 680*70mm



- DH-6241AB-S 300*70mm
- DH-6241AB-M 400*70mm
- DH-6241AB-L 500*70mm
- DH-6241AB-XL 680*70mm



- DH-7396AW-M 400*70mm
- DH-7396AW-L 500*70mm



- DH-7396AB-M 400*70mm
- DH-7396AB-L 500*70mm



● DH-8492B-M 400*70mm
DH-8492B-L 500*70mm

Hidden Basic Design
The lampshade leaves no gaps in the ceiling, it fits perfectly and can't be seen the white chassis.



● DH-7449B-M 400*80mm
DH-7449B-L 500*80mm



● DH-8492W-M 400*70mm
DH-8492W-L 500*70mm



● DH-7449M-M 400*80mm
DH-7449ML 500*80mm



● DH-8492MW-M 400*70mm
DH-8492MW-L 500*70mm



● DH-7449W-M 400*80mm
DH-7449W-L 500*80mm





• DH-8451-L 500*85mm



• DH-8451B-L 500*85mm



• DH-8533W-M 400*70mm
DH-8533W-L 500*70mm



• DH-8401-L 500*78mm



• DH-8504-M 400*100mm
DH-8504-L 500*100mm



• DH-8439B-M 400*65mm
DH-8439B-L 500*65mm



• DH-8534W-M 400*85mm
DH-8534W-L 500*85mm



• DH-8496-L 500*75mm



• DH-8530-L 500*70mm



• DH-8402-L 500*75mm



• DH-8388-M 400*75mm
DH-8388-L 500*75mm



• DH-8493B-L 500*75mm



• DH-8493W-L 500*75mm



• DH-6407-M 400*75mm
DH-6407-L 500*75mm



• DH-8466B-L 500*75mm



• DH-8466W-L 500*75mm



• DH-8485M-M 400*75mm
DH-8485M-L 500*75mm



• DH-8534W-L 500*70mm



• DH-8406A-M 400*75mm
DH-8406A-L 500*75mm



• DH-8406B-M 400*75mm
DH-8406B-L 500*75mm



• DH-8534W-M 400*70mm
DH-8534W-L 500*70mm



• DH-8507E-M 400*65mm
DH-8507E-L 500*65mm



• DH-8507A-M 400*65mm
DH-8507A-L 500*65mm



• DH-8502A-M 400*70mm
DH-8502A-L 500*70mm



• DH-8502C-M 400*70mm
DH-8502C-L 500*70mm



• DH-7375B-M 400*65mm
DH-7375B-L 500*65mm



• DH-8498A-M 400*80mm
DH-8498A-L 500*80mm



• DH-8502B-M 400*70mm
DH-8502B-L 500*70mm



• DH-8515M-M 410*65mm
DH-8515M-L 510*65mm



• DH-8509A-M 400*68mm
DH-8509A-L 500*68mm



• DH-8506-M 400*65mm
DH-8506-L 500*65mm



• DH-8502W-M 400*70mm
DH-8502W-L 500*70mm



• DH-8515W-M 410*65mm
DH-8515W-L 510*65mm



● A-1856-L LED 48W
Φ500*75mm



● DH-7411-SM LED 32W
Φ500*75mm
DH-7411-SL LED 36W
Φ500*75mm



● DH-7410-SM LED 32W
Φ500*75mm
DH-7410-SL LED 36W
Φ500*75mm



● DH-7412GA-M LED 36W
Φ400*65mm
DH-7412GA-L LED 48W
Φ500*65mm



● DH-7412G-M LED 36W
Φ400*65mm
DH-7412G-L LED 48W
Φ500*65mm



● DH-7413GA-M LED 36W
Φ400*65mm
DH-7413GA-L LED 48W
Φ500*65mm



● DH-7413GA-M LED 36W
Φ400*65mm
DH-7413GA-L LED 48W
Φ500*65mm



GR



AT



WH



• DH-7407M-L LED 48W
Φ500*70mm



• DH-7407E-L LED 48W
Φ500*70mm



• DH-7407G-L LED 48W
Φ500*70mm



• DH-7407R-L LED 48W
Φ500*70mm



• DH-7407W-L LED 48W
Φ500*70mm



• DH-7415W-L LED 48W
Φ500*65mm



• DH-7415G-L LED 48W
Φ500*65mm



• DH-7415R-L LED 48W
Φ500*65mm



• DH-4220-L LED 48W
Φ500*65mm



• DH-7417-M LED 36W
Φ400*65mm
DH-7417-L LED 48W
Φ500*65mm



• DH-7387-M LED 36W
Φ400*65mm
DH-7387-L LED 48W
Φ500*65mm



• DH-7417-M LED 36W
Φ400*65mm
DH-7417-L LED 48W
Φ500*65mm



• DH-7416A-M LED 36W
Φ400*65mm
DH-7416A-L LED 48W
Φ500*65mm



• DH-7416B-M LED 36W
Φ400*65mm
DH-7416B-L LED 48W
Φ500*65mm



• DH-7416C-M LED 36W
Φ400*65mm
DH-7416C-L LED 48W
Φ500*65mm



• DH-7418W-L LED 48W
Φ500*60mm




• DH-7418B-L LED 48W
Φ500*60mm



• DH-7420S-L LED 48W
Φ500*70mm





• DH-7420W-L LED 48W
Φ500*70mm



• DH-7369W-M LED 36W
Φ500*60mm
DH-7369W-L LED 48W
Φ500*60mm



• DH-7369G-M LED 36W
Φ500*60mm
DH-7369G-L LED 48W
Φ500*60mm



• DH-7406B-L LED 48W
Φ500*70mm



• DH-7406W-L LED 48W
Φ500*70mm



● DH-7417B-L LED 48W
Φ500*65mm



● DH-7417W-L LED 48W
Φ500*65mm



● DH-4228W-L LED 48W
Φ500*65mm



● DH-4228W-L LED 48W
Φ500*65mm



● DH-7420W-L LED 48W
Φ500*65mm



● DH-7420B-L LED 48W
Φ500*65mm



● DH-7421W-L LED 48W
Φ500*65mm



● DH-7421W-L LED 48W
Φ500*65mm



• DH-7431-L LED 48W
Φ500*65mm



• DH-7428W-M LED 36W
Φ400*65mm
DH-7428W-L LED 48W
Φ500*65mm



• DH-7433W-L LED 48W
Φ500*65mm



• DH-7435W-L LED 48W
Φ500*65mm



• DH-7432-L LED 48W
Φ500*65mm



• DH-7429-M LED 36W
Φ400*65mm
DH-7429-L LED 48W
Φ500*65mm



• DH-7434W-L LED 48W
Φ500*65mm



• DH-7386-L LED 48W
Φ500*70mm



• DH-7430-L LED 48W
Φ500*65mm



• DH-7433B-L LED 48W
Φ500*65mm



• DH-7422W-L LED 48W
Φ500*65mm



• DH-7422G-L LED 48W
Φ500*65mm



• DH-7422B-L LED 48W
Φ500*65mm



• DH-7423G-L LED 48W
Φ500*65mm



• DH-7426W-L LED 48W
Φ500*65mm



• DH-7424W-L LED 48W
Φ500*65mm



• DH-7427B-L LED 48W
Φ500*65mm



• DH-7425B-L LED 48W
Φ500*70mm



• DH-7427WL LED 48W
Φ500*65mm



• DH-7436W-L LED 48W
Φ500*65mm



• DH-7401W-M LED 36W
Φ400*65mm
DH-7401W-L LED 48W
Φ500*65mm



• DH-7437M-L LED 48W
Φ500*65mm



• DH-7440-L LED 48W
Φ500*65mm



• DH-7442-L LED 48W
Φ500*65mm



• DH-7441-L LED 48W
Φ500*65mm



• DH-7439-L LED 48W
Φ500*70mm



• DH-7397W-M LED 36W
Φ400*65mm
DH-7397W-L LED 48W
Φ500*65mm



• DH-7444-L LED 48W
Φ500*70mm



• DH-7443-L LED 48W
Φ500*70mm



• DH-4220S-L 52W
500*500*75mm



• DH-6403-L LED 48W
Φ500*70mm



• DH-7445-L LED 48W
Φ500*70mm



• DH-4215S-L 52W
500*500*75mm



• A-3085-M LED 36W
Φ400*70mm
A-3085-M LED 48W
Φ500*70mm



• DH-7446M-L LED 48W
Φ500*70mm



• DH-4235S-L 52W
500*500*70mm




• DH-7420S-L 52W
500*500*70mm




• DH-8538-MRGB 400*65mm
DH-8538-LRGB 500*65mm


tuya Powered by tuya




• DH-8507-MRGB 400*65mm
DH-8507-LRGB 500*65mm



• DH-8426B-MRGB 400*65mm
DH-8426B-LRGB 500*65mm



• DH-8537-MRGB 400*70mm
DH-8537-LRGB 500*70mm



• DH-8536-MRGB 400*65mm
DH-8536-LRGB 500*65mm



• DH-8539-L 500*500*65mm




• DH-4235B-SL 510*510*70mm



• DH-8540-L 500*500*65mm



• DH-7441W-SL 510*510*85mm



- DH-10130-150 155*90*48mm
DH-10130-195 195*95*48mm
DH-10130-225 225*100*48mm



- DH-10131B-150 150*48mm
DH-10131B-170 170*48mm
DH-10131B-205 205*48mm



- DH-10127-150 150*40mm
DH-10127-180 180*H40mm
DH-10127-230 230*H40mm
DH-10127-300 300*H40mm



- DH-10128-150 150*150*40mm
DH-10128-180 180*180*40mm
DH-10128-230 230*230*40mm
DH-10128-300 300*300*40mm



- DH-10126-300 300*25mm
DH-10126-370 370*25mm
DH-10126-460 460*25mm



- DH-10124-300 300*25mm
DH-10124-370 370*25mm
DH-10124-460 460*25mm

Installation Steps:



Step 1:
For your protection, turn off the power before installing the light.



Step 2:
Use screws to install the base where you want to install it.



Step 3:
Connect the cables of the lamp to the cables in your home.



Step 4:
Align the square lamp body with the empty space and place it on the base. Press into the lamp body to complete the installation, and make sure that the thinner metal sheet has complete contact sheet.


Ceiling light with On/off Detector



• DH-A1501-SS 300*65mm

Product Feature


On/off function | The motion detector can turn on the light based on movement. With this detector built in, light is automatically on when needed and off when not needed.



The light keeps off during daytime even when movement is detected. (Ambient lux level is above preset daylight threshold)



With movement and insufficient ambient lux level, the light is triggered on by the detector.



If there is no more movement, the light turns off automatically after hold-time preset.

Settings

1. Detection Area

Sensitivity can be adjusted by selecting the combination on the DIP switches for different applications.

- I – 100%
- II – 75%
- III – 50%
- IV – 25%

	1	2	
I	●	●	100%
II	●	○	75%
III	○	●	50%
IV	○	○	25%

2. Hold-time

Hold-time refers to the time period that the light remains 100% on if no more movement is detected.

- I-5s
- II-30s
- III-1min
- IV-3min
- V-5min
- VI-10min
- VII-20min
- VIII-30min

	3	4	5	
I	●	●	●	5s
II	●	●	○	30s
III	●	○	●	1min
IV	●	○	○	3min
V	○	●	●	5min
VI	○	●	○	10min
VII	○	○	●	20min
VIII	○	○	○	30min

3. Daylight threshold

Different daylight threshold can be preset on DIP switches. Light will always turn on upon movement if daylight sensor is disabled.

- I-2Lux
- II-10Lux
- III-25Lux
- IV-50Lux
- V-Disable

	6	7	8	
I	●	●	●	2Lux
II	●	●	○	10Lux
III	○	●	○	25Lux
IV	●	○	○	50Lux
V	○	○	○	Disable

Specification

Operating voltage	220 ~ 240 VAC 50/60Hz
Rated load	400W (Capacitive load) 800W (Resistive load)
Stand-by power	<0.2W
Sensitivity	25% / 50% / 75% / 100%
Hold-time	5s / 30s / 1min / 3min / 5min / 10min / 20min / 30min
Daylight sensor	2lux / 10lux / 25lux / 50lux, disable
Microwave frequency	5.8 GHz +/- 75MHz
Transmitting power	<0.2mW
Detection range	Max. installation height: 5m Max. detection range: Ø 10m @ 3m installation height
Detection angle	30° ~ 150°
Working temperature	-20°C ~ 60°C
IP rating	IP20
Certificate	CE, UKCA, RCM, RED



• DH-7374-XS LED 12W 4000K
Φ220*120mm

DH-7374-S LED 18W 4000K
Φ300*140mm

DH-7374-M LED 36W CCT
Φ420*140mm

DH-7374-L LED 48W CCT
Φ520*140mm

DH-7374-XL LED 56W CCT
Φ620*140mm



• **CEILING**
DH-7125-M LED 36W
Φ435*115mm
DH-7125-L LED 48W
Φ535*115mm

PENDANT
DH-7125P-M LED 36W
Φ435*115*1200mm
DH-7125P-L LED 48W
Φ535*115*1200mm

Ceiling Fan Series



• DF-20018A 500*140mm



• DF-20018S 500*500*140mm



• DF-20017A 500*140mm



• DF-20017S 500*500*140mm



• DF-20012A 500*140mm



• DF-20012S 500*500*140mm



Easy to clean

Simply remove the faceplate and twist the screws to clean the inside of the fan head to avoid hiding dust



Multi-speed air regulation, strong wind speed

- 1st gear:500.
- 2rd gear:700.
- 3nd gear:900.
- 4th gear:1100.
- 5th gear:1300.
- 6th gear:1500.



Quiet Operation

The ceiling fan works quietly and does not disturb your sleep because only 50dB in 6th gear



● DF-20010A 500*140mm



● DF-20010S 500*500*140mm



● DF-20011A 500*140mm



● DF-20011S 500*500*140mm



● DF-20016A 500*140mm



● DF-20015A 500*140mm



● DF-20015S 500*500*140mm



● DF-20014A 500*140mm



● DF-20014S 500*500*140mm



● DF-20013A 500*140mm



● DF-20013S 500*500*140mm



tuya Powered by tuya



- CEILING
DH-8217-CM/RGB 495*50mm
DH-8217B-CLRGB 595*50mm

- PENDANT
DH-8217-PM/RGB 495*50*1200mm
DH-8217B-PL/RGB 595*50*1200mm



• DH-1736-CL 608.5*409.5*50mm
DH-1736-CXL 812.5*533.5*50mm



• DH-8218B-CS 440*440*51.5mm
DH-8218B-CXL 631*624*51.5mm



• DH-8320W-PM 470*470*50mm



• DH-8218B-PS 440*440*51.5mm
DH-8218B-PL 631*624*51.5mm



• DH-8217B-PM 495*50*1200mm
DH-8217B-PL 595*50*1200mm

tuya Powered by tuya



• DH-7121W-M 400*50mm
DH-7121W-L 500*50mm



• DH-7121B-M 400*50mm
DH-7121B-L 500*50mm



• DH-7121W-SM 400*400*50mm
DH-7121W-SL 500*500*50mm



• DH-7121B-SM 400*400*50mm
DH-7121B-SL 500*500*50mm



• DH-7120W-M 400*80mm
DH-7120W-L 500*80mm
DH-7120W-LL 600*80mm
DH-7120W-XL 800*80mm



• DH-7120B-M/RGB 400*80mm
DH-7120B-L/RGB 500*80mm



• DH-7125W-M 380*90mm
DH-7125W-L 480*90mm



• DH-7125G-M 380*90mm
DH-7125G-L 480*90mm



• DH-7125B-M 380*90mm
DH-7125B-L 480*90mm



• DH-7127B-M 380*90mm
DH-7127B-L 480*90mm



• DH-7128B-M 390*90*1200mm
DH-7128B-PL 490*90*1200mm



• DH-7129B-M 390*90mm
DH-7129B-L 490*90mm



• DH-7129W-M 390*90mm
DH-7129W-L 490*90mm



● CEILING
DH-1740W-M 400*80mm
DH-1740W-L 500*80mm



● PENDANT
DH-1740W-PM 400*80*1200mm
DH-1740W-PL 500*80*1200mm



● CEILING
DH-2302BL-400 400*80mm
DH-2302BL-500 500*80mm
DH-2302BL-600 600*80mm



● PENDANT
DH-2302WH-P400 400*80*1200mm
DH-2302WH-P500 500*80*1200mm
DH-2302WH-P600 600*80*1200mm



● PENDANT
DH-1727-PM 400*100*1200mm
DH-1727-PL 500*100*1200mm
DH-1727-PLL 600*100*1200mm



● CEILING
DH-1726-M 400*100mm
DH-1726-L 500*100mm
DH-1726-LL 600*100mm



● CEILING
DH-7124N-M 380*50mm
DH-7124N-L 480*50mm
DH-7124N-XL 600*50mm



● PENDANT
DH-7125N-PM 380*50*1200mm
DH-7125N-PL 480*50*1200mm
DH-7125N-PXL 600*50*1200mm



● PENDANT
DH-7124B-PM 380*50*1200mm
DH-7124B-PL 480*50*1200mm
DH-7124B-PXL 600*50*1200mm



● CEILING
DH-2401W-S 500*500*70mm



● PENDANT
DH-2401W-PA 500*70*1200mm



● CEILING
DH-2401W-A 500*70mm



● CEILING
DH-7131B-M 400*165mm
DH-7131B-L 500*195mm



● PENDANT
DH-7131GR-PM 400*165*1200mm
DH-7131GR-PL 500*195*1200mm



● PENDANT
DH-7130W-PM 400*90*1200mm
DH-7130W-PL 500*90*1200mm



● CEILING
DH-7130B-M 400*90mm
DH-7130B-L 500*90mm



● DH-4608GR-L 520*70mm



● DH-4608BG-L 520*70mm



● DH-4608WM-L 520*70mm



● DH-4608W-PL 520*70*1200mm




● DH-1728-WBM 460*90mm
DH-1728-WBL 560*90mm



● DH-1728-BWM 460*90mm
DH-1728-BWL 560*90mm



DH-1728-WM 460*90mm
DH-1728-WL 560*90mm



● CEILING
DH-7123W-M 410*410*110mm
DH-7123W-L 510*510*110mm



● PENDANT
DH-7122GR-PM 410*110*1200mm
DH-7122GR-PL 510*110*1200mm



● CEILING
DH-7122B-M 410*110mm
DH-7122B-L 510*110mm



● CEILING
DH-7134W-M 468*80mm
DH-7134W-LL 612*80mm



● PENDANT
DH-7132B-PM 400*80*1200mm
DH-7132B-PL 500*80*1200mm
DH-7132B-PLL 600*80*1200mm



● PENDANT
DH-7134W-PM 468*80*1200mm
DH-7134W-PLL 612*80*1200mm



● CEILING
DH-7132B-M 400*80mm
DH-7132B-L 500*80mm
DH-7132B-LL 600*80mm



CEILING

- DH-1735-S 450*300*60mm LED 32W
- DH-1735-M 600*400*60mm LED 46W
- DH-1735-L 800*530*60mm LED 56W

PENDANT

- DH-1735P-S 450*300*35mm LED 32W
- DH-1735P-M 600*400*35mm LED 46W
- DH-1735P-L 800*530*35mm LED 56W



CEILING

• DH-1720-L
Φ510*110mm
LED 36W

PENDANT

• DH-1720-PL
Φ510*1200mm
LED 36W





● DH-1740-W
LED 30W+10W
Φ500*90mm



● DH-1740-B
LED 30W+10W
Φ500*90mm



● DH-1741-P
LED 18W
Φ300*40*1200mm

● DH-1742-P
LED 18W
300*40*1200mm

DH-1742-P
LED 24W
400*40*1200mm




CEILING

● DH-1017E
Φ360*460mm
LED 42W

PENDANT

● DH-1017E-P
Φ360*460*1500mm
LED 42W





CEILING


• DH-2011-M
D470*H70mm
LED 48W

DH-2011-L
D560*H70mm
LED 56W

DH-2011-L
D620*H70mm
LED 72W



BL



WH



GR



BO



CL



RF



PENDANT

• DH-2011P-M
D470*H70*1200mm
LED 48W

DH-2011P-L
D560*H70*1200mm
LED 56W

DH-2011P-L
D620*H70*1200mm
LED 72



- DH-8211-S Φ300*50mm LED 27W
- DH-8211-M Φ400*50mm LED 36W
- DH-8211-L Φ500*50mm LED 48W
- DH-8211-LL Φ600*50mm LED 64W
- DH-8211-XL Φ780*50mm LED 96W



- DH-1023-M
Φ420*75mm LED 36W
- DH-1023-L
Φ520*75mm LED 36W



PENDANT

- DH-2202-S
Φ350*100mm
LED 24W
- DH-2202-M
Φ450*100mm
LED 36W
- DH-2202-L
Φ600*100mm
LED 48W



CEILING

- DH-6120
 φ500*90mm
 LED 48W
 DES:Eye protection through
 optical anti-glare mesh
 UGR 19



CEILING

- DH-1213-S
 Φ300*50mm LED 24W
- DH-1213-M
 Φ400*50mm LED 36W
- DH-1213-L
 Φ500*50mm LED 48W



PENDANT

- DH-1213P-S
 Φ300*50mm*1200mm LED 24W
- DH-1213P-M
 Φ400*50mm*1200mm LED 36W
- DH-1213P-L
 Φ500*50mm*1200mm LED 48W





CEILING

- DH-1719-M
Φ420*190mm
LED 24W

PENDANT

- DH-1719P-M
Φ420*H160*1200mm
LED 24W





CEILING

• DH-1721F-M
Φ440*60mm
LED 36W

DH-1721F-L
Φ530*60mm
LED 48W



CEILING

• DH-1721KQ-M
Φ440*60mm
LED 36W

DH-1721KQ-L
Φ530*60mm
LED 48W



CEILING

• DH-1721O-M
Φ440*60mm
LED 36W


DH-1721O-L
Φ530*60mm
LED 48W



PENDANT

• DH-1721P-M
Φ440*H60*1200mm
LED 36W

DH-1721P-L
Φ530*H60*1200mm
LED 48W





WALL LAMP

- DH-1739
MAX 1*G9



CEILING

- DH-1721-M DH-1721W-L
 Φ440*80mm Φ530*80mm
 LED 36W LED 48W




- DH-2303-M LED 32W
400*400*80mm
- DH-2303-L LED 60W
500*500*80mm
- DH-2303-XL LED 72W
600*600*80mm
- DH-2303-XXL LED 88W
700*700*80mm

- DH-2312-M
500*210*80mm
- DH-2312-L
600*310*80mm
- DH-2312-XL
800*600*80mm
- DH-2312-BXL
900*460*80mm



- BL
- WH
- AT



- M-7116-M LED 32W
Φ420*90mm
- M-7116-L LED 48W
Φ520*90mm
- M-7116-XL LED 60W
Φ620*90mm



- M-7115-M LED 32W
Φ420*90mm
- M-7115-L LED 48W
Φ520*90mm



CEILING

- DH-1718W-M Φ400*160mm
- DH-1718W-L Φ500*160mm

PENDANT

- DH-1718WP-M Φ400*H130*1200mm
- DH-1718WP-L Φ500*H130*1200mm





- DH-1730-S
Φ296*63mm
LED 20W
- DH-1730-M
Φ400*63mm
LED 32W
- DH-1730-L
Φ496*63mm
LED 48W



CEILING

- DH-1731-S
298*298*90mm
LED 24W
- DH-1731-M
398*398*90mm
LED 36W
- DH-1731-L
498*498*90mm
LED 48W





- DH-1733-M
440*440*70mm
LED 36W
- DH-1733-L
570*570*70mm
LED 48W



- DH-1733-S
270*270*70mm
LED 12W



● DH-1717-M
 Φ400*20mm
 LED 32W

DH-1717-L
 Φ500*30mm
 LED 46W



CEILING

● DH-1717-M DH-1717-L
 Φ400*20mm Φ500*30mm
 LED 32W LED 46W

PENDANT


● DH-1717-M DH-1717-L
 Φ400mm Φ500mm
 LED 32W LED 46W





CEILING

- DH-3112-M
Φ400*60mm
LED 36W
- DH-3112-L
Φ500*100mm
LED 48W



CEILING

- DH-1724-S
Φ300*100mm
LED 24W
- DH-1724-M
Φ400*100mm
LED 36W
- DH-1724-L
Φ500*100mm
LED 48W

DULCET AND HARMONIOUS CEILING LIGHT

THANK YOU

Nelux Architectural Lighting Products
Whatsapp: +852 5349 0724
sales@nelux.com.hk
www.nelux.com.hk

Head office: China, HK, Wanchai,
Central Plaza, 18 Harbour road, 32/F, Office 3208
Workhouse: China, HK, Tuen Mun, Sun Hing Industrial Building, 22 Kin Fat Street, 11th Floor

Tel:+852 28600042
Fax:+852 28600066
WeChat: neluxury